



ILPA ADESIVI SRL

Revision nr. 2

Dated 24/05/2021

Printed on 24/05/2021

Page n. 1/15

Replaced revision:1 (Printed on: 08/03/2016)

M8110 - EXTRA WAX - SOLIDA

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **M8110, M8111**
Product name: **EXTRA WAX - SOLIDA**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **polishing wax for marble and granite. Professional use only.**

Uses advised against: no one in particular

Uses related to substances:

| Identified Uses | Industrial | Professional | Consumer |
|---------------------|--|-------------------------------|----------|
| TETRACHLOROETHYLENE | ERC: 2. PROC: 1, 14, 15, 2, 3, 4, 8a, 8b, 9. | ERC: 7. PROC: 2, 3, 4, 8a. | - |

1.3. Details of the supplier of the safety data sheet

Name: **ILPA ADESIVI SRL**
Full address: **Via Ferorelli, 4**
District and Country: **70132 BARI (BARI)**
ITALIA
Tel. + 39 0805383837
Fax + 39 0805377807

e-mail address of the competent person
responsible for the Safety Data Sheet

laboratorio@ilpa.it

1.4. Emergency telephone number

For urgent inquiries refer to

+ 39 0808974667 (Technical support - 8,00 - 17,00 - LUN-VEN; MON-FRI)(Italian time zone)
Safety Executive (HSE) Chemicals Regulation Directorate 5S.1 Redgrave Court, Merton Road, Bootle, Merseyside. L20 7HS.
Phone: +44 151 9513317

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

**M8110 - EXTRA WAX - SOLIDA**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

| | | |
|--|------|--|
| Carcinogenicity, category 2 | H351 | Suspected of causing cancer. |
| Eye irritation, category 2 | H319 | Causes serious eye irritation. |
| Skin irritation, category 2 | H315 | Causes skin irritation. |
| Skin sensitization, category 1 | H317 | May cause an allergic skin reaction. |
| Specific target organ toxicity - single exposure, category 3 | H336 | May cause drowsiness or dizziness. |
| Hazardous to the aquatic environment, chronic toxicity, category 2 | H411 | Toxic to aquatic life with long lasting effects. |

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

| | |
|-------------|--|
| H351 | Suspected of causing cancer. |
| H319 | Causes serious eye irritation. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements:

| | |
|------------------|--|
| P201 | Obtain special instructions before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe dust / fume / gas / mist / vapours / spray. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P308+P313 | IF exposed or concerned: Get medical advice / attention. |
| P370+P378 | In case of fire: useuse carbon dioxide, foam, chemical powder to extinguish. |

Contains:

TETRACHLOROETHYLENE

Product not intended for uses provided for by Dir. 2004/42/CE.

2.3. Other hazards

**M8110 - EXTRA WAX - SOLIDA**

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

| Identification | x = Conc. % | Classification 1272/2008 (CLP) |
|----------------------------|------------------|--|
| TETRACHLOROETHYLENE | | |
| CAS 127-18-4 | $74 \leq x < 78$ | Carc. 2 H351, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, STOT SE 3 H336, Aquatic Chronic 2 H411 |
| EC 204-825-9 | | |
| INDEX 602-028-00-4 | | |
| Reg. no. 01-2119475329-28 | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

PROTECTIVE MEASURES FOR THE FIRST RESCUE WORKERS: for PPE (personal protection equipment) required for first aid refer to section 8.2 of this safety data sheet.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

**M8110 - EXTRA WAX - SOLIDA****5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

**M8110 - EXTRA WAX - SOLIDA**

No use other than specified in Section 1.2 of this safety data sheet.

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

| | | |
|-----|----------------|---|
| DEU | Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| ESP | España | Límites de exposición profesional para agentes químicos en España 2019 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS |
| GRC | Ελλάδα | Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία``» |
| HRV | Hrvatska | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemičkim na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) |
| NLD | Nederland | Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit |
| PRT | Portugal | Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos |
| ROU | România | Hotararea 157/2020 pentru modificarea Hotărârii Guvernului nr. 1.218/2006 privind stabilirea cerințelor minime de securitate și sănătate în muncă pentru asigurarea protecției lucrătorilor împotriva riscurilor legate de prezența agenților chimici, precum și pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți cancerigeni sau mutageni la locul de muncă |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2020 |

TETRACHLOROETHYLENE**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|--|---------|--------|-----|------------|-----|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| AGW | DEU | 69 | 10 | 138 | 20 | SKIN |
| VLA | ESP | 138 | 20 | 275 | 40 | SKIN |
| VLEP | FRA | 138 | 20 | 275 | 40 | |
| TLV | GRC | 138 | 20 | 275 | 40 | SKIN |
| GVI/KGVI | HRV | 138 | 20 | 275 | 40 | SKIN |
| TGG | NLD | 138 | | 275 | | SKIN |
| VLE | PRT | 138 | 20 | 275 | 40 | SKIN |
| TLV | ROU | 50 | 7 | 100 | 14 | SKIN |
| WEL | GBR | 138 | 20 | 275 | 40 | SKIN |
| OEL | EU | 138 | 20 | 275 | 40 | SKIN |
| TLV-ACGIH | | 170 | 25 | 678 | 100 | |
| Predicted no-effect concentration - PNEC | | | | | | |
| Normal value in fresh water | | | | 0,051 | | mg/l |
| Normal value in marine water | | | | 0,0051 | | mg/l |



| | | |
|--|--------|---------|
| Normal value for fresh water sediment | 0,903 | mg/kg/d |
| Normal value for marine water sediment | 0,0903 | mg/kg/d |
| Normal value for water, intermittent release | 364 | mg/l |
| Normal value of STP microorganisms | 11,2 | mg/l |
| Normal value for the terrestrial compartment | 0,01 | mg/kg/d |

| Health - Derived no-effect level - DNEL / DMEL | | | | | | | | |
|---|----------------------|----------------|---------------|------------------|--------------------|----------------|---------------|------------------|
| Route of exposure | Effects on consumers | | | | Effects on workers | | | |
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Oral | | | VND | 1,3 mg/kg bw/d | | | | |
| Inhalation | VND | 138 mg/m3 | VND | 34,5 mg/m3 | VND | 275 mg/m3 | VND | 138 mg/m3 |
| Skin | | | VND | 23 mg/kg bw/d | | | VND | 39,4 mg/kg bw/d |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with

**M8110 - EXTRA WAX - SOLIDA**

environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|--|-----------------------------------|---|
| Appearance | paste | |
| Colour | White, Gray or Black | |
| Odour | aromatic | |
| Odour threshold | Not available | Concentration:27 ppm (DOW) Substance:TETRACHLOROETHYLENE |
| pH | Not applicable | |
| Melting point / freezing point | Not available | Substance:TETRACHLOROETHYLENE Temperature:-22 ° C (101.3 kPa, DOW) |
| Initial boiling point | Not available | Substance:TETRACHLOROETHYLENE Temperature:121 ° C (101.3 kPa, DOW) |
| Boiling range | Not applicable | |
| Flash point | > 60 °C | |
| Evaporation rate | Not available | Concentration:1.5 (butyl acetate = 1, DOW) Substance:TETRACHLOROETHYLENE |
| Flammability (solid, gas) | not applicable | |
| Lower inflammability limit | Not applicable | |
| Upper inflammability limit | Not applicable | |
| Lower explosive limit | Not applicable | |
| Upper explosive limit | Not applicable | |
| Vapour pressure | Not available | Concentration:2.5 kPa (25 ° C) Substance:TETRACHLOROETHYLENE |
| Vapour density | Not available | Concentration:5.76 (air = 1) Substance:TETRACHLOROETHYLENE |
| Relative density | 1,35 g/ml | |
| Solubility | insoluble in water | Substance:TETRACHLOROETHYLENE |
| Partition coefficient: n-octanol/water | Not available | Concentration:2.53 Log Pow (23 ° C) Substance:TETRACHLOROETHYLENE |
| Auto-ignition temperature | Not available | Substance:TETRACHLOROETHYLENE Temperature:No (DOW) |
| Decomposition temperature | Not available | Substance:TETRACHLOROETHYLENE Temperature:> 150 ° C |
| Viscosity | >20,5 mm ² /sec (40°C) | |
| Explosive properties | Not available | Substance:TETRACHLOROETHYLENE Temperature:No (DOW) |
| Oxidising properties | Not available | Substance:TETRACHLOROETHYLENE Temperature:No (DOW) |

9.2. Other information

VOC (Directive 2010/75/EC) : 75,00 % - 1 012,50 g/litre

**M8110 - EXTRA WAX - SOLIDA**

VOC (volatile carbon) : 10,85 % - 146,54 g/litre

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

TETRACHLOROETHYLENE

Decomposes at temperatures above 150°C/302°F. Decomposes if exposed to: UV rays, moisture.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

TETRACHLOROETHYLENE

Risk of explosion on contact with: alkaline metals, aluminium, alkaline hydroxides, sodium amides. May react violently with: strong bases, strong oxidising agents, alkaline earth metals, light metals, metal powders, zinc oxide.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

TETRACHLOROETHYLENE

May develop: hydrogen chloride, phosgenes, chlorine, ethane tetrachloride, chlorine compounds.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effectsMetabolism, toxicokinetics, mechanism of action and other information

Information not available



M8110 - EXTRA WAX - SOLIDA

Information on likely routes of exposure

TETRACHLOROETHYLENE

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; inhalation of ambient air.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

TETRACHLOROETHYLENE

Has a toxic effect on the central and peripheral nervous system, liver, kidneys and heart; the mucous membranes and the skin are irritated.

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

TETRACHLOROETHYLENE

LD50 (Oral) 3005 mg/kg Rat (Equivalent or similar to OECD Guideline 401)

LC50 (Inhalation) 3786 ppm/4h Rat (Equivalent or similar to OECD Guideline 403)

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

**M8110 - EXTRA WAX - SOLIDA**

Suspected of causing cancer

TETRACHLOROETHYLENE

Classified in Group 2A (probable human carcinogen) by the International Agency for Research on Cancer (IARC).
Epidemiological studies show evidence of association between exposure to the substance and presence of various types of cancers: bladder cancer, non-Hodgkin's lymphomas and multiple myeloma (US EPA, 2014).
Classified as a "probable carcinogen" by the US National Toxicology Program (NTP).

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm²/sec (40°C)

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity**TETRACHLOROETHYLENE**

LC50 - for Fish

5 mg/l/96h *Oncorhynchus mykiss* (Bulletin of Environmental Contamination and Toxicology 28 (1), 7- 10)

EC50 - for Crustacea

8,5 mg/l/48h *Daphnia magna* (ASTM 1980)

EC50 - for Algae / Aquatic Plants

3,64 mg/l/72h *Chlamydomonas reinhardtii* (Environmental Science Pollution Research International 1; 223-228)

Chronic NOEC for Fish

234 mg/l *Jordanella floridae* (Archives of Environmental Contamination and Toxicology 20, 94-102)

Chronic NOEC for Crustacea

0,51 mg/l *Daphnia magna* (ASTM Draft No. 4)

12.2. Persistence and degradability**TETRACHLOROETHYLENE**

Solubility in water

150 mg/l

NOT rapidly degradable

Modified shake flask closed bottle biodegradation test

12.3. Bioaccumulative potential

**M8110 - EXTRA WAX - SOLIDA**

TETRACHLOROETHYLENE

Partition coefficient: n-octanol/water 2,53

BCF 49

12.4. Mobility in soil

TETRACHLOROETHYLENE

Partition coefficient: soil/water 2,15

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number**

ADR / RID, IMDG, IATA: 1897

14.2. UN proper shipping name

ADR / RID: TETRACHLOROETHYLENE MIXTURE

IMDG: TETRACHLOROETHYLENE MIXTURE

IATA: TETRACHLOROETHYLENE MIXTURE

14.3. Transport hazard class(es)

ADR / RID: Class: 6.1 Label: 6.1



**M8110 - EXTRA WAX - SOLIDA**

IMDG: Class: 6.1 Label: 6.1



IATA: Class: 6.1 Label: 6.1

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous



IMDG: Marine Pollutant



IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

| | | | |
|------------|----------------------|-------------------------|------------------------------|
| ADR / RID: | HIN - Kemler: 60 | Limited Quantities: 5 L | Tunnel restriction code: (E) |
| | Special provision: - | | |
| IMDG: | EMS: F-A, S-A | Limited Quantities: 5 L | |
| IATA: | Cargo: | Maximum quantity: 220 L | Packaging instructions: 663 |
| | Pass.: | Maximum quantity: 60 L | Packaging instructions: 655 |
| | Special provision: | - | |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EC: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006**Product**

Point

3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:

(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;

(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;

(c) hazard class 4.1;

(d) hazard class 5.1.



ILPA ADESIVI SRL

Revision nr. 2

Dated 24/05/2021

Printed on 24/05/2021

Page n. 13/15

Replaced revision:1 (Printed on: 08/03/2016)

M8110 - EXTRA WAX - SOLIDA

Contained substance

| | | |
|-------|----|---|
| Point | 75 | TETRACHLOROETHYLENE Reg. no.: 01-2119475329-28 |
| Point | 75 | Petrolatum (petroleum), hydrotreated Petrolatum Reg. no.: 01-2119486946-17 |

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

TETRACHLOROETHYLENE

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 2 Carcinogenicity, category 2

**M8110 - EXTRA WAX - SOLIDA**

| | |
|--------------------------|--|
| Eye Irrit. 2 | Eye irritation, category 2 |
| Skin Irrit. 2 | Skin irritation, category 2 |
| Skin Sens. 1 | Skin sensitization, category 1 |
| STOT SE 3 | Specific target organ toxicity - single exposure, category 3 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| H351 | Suspected of causing cancer. |
| H319 | Causes serious eye irritation. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Use descriptor system:

| | | |
|-------------|-----------|--|
| ERC | 2 | Formulation into mixture |
| ERC | 7 | Use of functional fluid at industrial site |
| PROC | 1 | Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. |
| PROC | 14 | Tabletting, compression, extrusion, pelletisation, granulation |
| PROC | 15 | Use as laboratory reagent |
| PROC | 2 | Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions |
| PROC | 3 | Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition |
| PROC | 4 | Chemical production where opportunity for exposure arises |
| PROC | 8a | Transfer of substance or mixture (charging and discharging) at non- dedicated facilities |
| PROC | 8b | Transfer of substance or mixture (charging and discharging) at dedicated facilities |
| PROC | 9 | Transfer of substance or mixture into small containers (dedicated filling line, including weighing) |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds



ILPA ADESIVI SRL

Revision nr. 2

Dated 24/05/2021

M8110 - EXTRA WAX - SOLIDA

Printed on 24/05/2021

Page n. 15/15

Replaced revision:1 (Printed on: 08/03/2016)

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
 16. Regulation (EU) 2019/521 (XII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) – Italy

Istituto Superiore di Sanità (ISS) – Archivio Preparati Pericolosi

Codice azienda: IT00465900728

Ragione sociale: Ilpa Adesivi Srl

Nome prodotto ISS: M8110

Codice prodotto ISS: M8110

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Training for workers:

Worker training should include content, updates and duration depending on the risk profiles assigned to the business sectors they belong

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 14 / 15 / 16.